<u>or</u>

## **LISTING OF CLAIMS:**

This listing of claims provided below will replace all prior versions and listings of claims in the application.

Please amend the claims as follows:

1. (Currently Amended) A method for treating a host infected with respiratory syncytial virus (RSV) comprising administering to a host in need thereof an anti-RSV effective amount of a compound of Formula I:

 $\begin{array}{c} O \\ \\ CH_2\text{-NH} \longrightarrow C \longrightarrow (CH_2)_{10}CH_3 \\ \\ CH \longrightarrow O \longrightarrow CH_2CH_3 \\ \\ \\ CH_2 \longrightarrow O \longrightarrow P \longrightarrow O \longrightarrow CH_2CH_2 \longrightarrow N \longrightarrow CH_3 \\ \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ \\ \end{array}$ 

<del>(I)</del>

or a pharmaceutically acceptable salt thereof[[,]]

wherein:

 $R_{\downarrow}$  is selected from the group consisting of NHC(O)Y, where Y is  $C_{\downarrow}$   $C_{22}$  alkyl,  $C_{2}$   $C_{22}$  alkenyl, and  $C_{2}$   $C_{22}$  alkynyl;

 $R_2$  is selected from the group consisting of OX, where X is  $C_4$   $C_5$  alkyl,  $C_2$   $C_5$  alkenyl, and  $C_2$   $C_5$  alkynyl; and

R<sub>3</sub> is phosphocholine.

2. (Currently Amended): The method of claim 1, wherein the compound is

Y is C<sub>1</sub>-C<sub>14</sub> alkyl

$$\begin{array}{c} O \\ \\ CH_2\text{-NH} \\ - C \\ - CH_2OH_3 \\ \\ CH \\ - O \\ - CH_2CH_3 \\ \\ - CH_2 \\ - O \\ - P \\ - O \\ - CH_2CH_2 \\ - N \\ - CH_3 \\ -$$

Claims 3-5. (Cancelled).

6. (Currently amended): The method of claim 1, wherein the compound is

$$\begin{array}{c} O \\ \\ CH_2\text{-NH} \longrightarrow C \longrightarrow (CH_2)_{10}CH_3 \\ \\ CH \longrightarrow O \longrightarrow CH_2CH_3 \\ \\ O \longrightarrow CH_2 \longrightarrow O \longrightarrow P \longrightarrow CH_2CH_2 \longrightarrow N \longrightarrow CH_3 \\ \\ CH_2 \longrightarrow O \longrightarrow P \longrightarrow CH_2CH_2 \longrightarrow N \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_2 \longrightarrow O \longrightarrow P \longrightarrow CH_2CH_2 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_2 \longrightarrow O \longrightarrow P \longrightarrow CH_2CH_2 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \longrightarrow CH_3 \\ \\ CH_3 \longrightarrow CH_$$

## 3 dodecanamido 2 ethoxypropyl 1 phosphocholine,

- 3 decanamido 2 ethoxypropyl 1 phosphocholine.
- 7. (Previously presented): The method of claim 1 wherein the host is a mammal.
- 8. (Previously presented): The method of claim 1 wherein the host is a human.

Claims 9-38. (Cancelled).

39. (Previously presented): The method of claim 1, wherein the administering is orally, intravenously, parentally, intradermally, subcutaneously, topically, or by inhalation.